



AERONAUTICAL ACCESSORIES, INC.

P.O. BOX 3689

BRISTOL, TENNESSEE 37625-3689 U.S.A.

TELEPHONE: 423-538-5151

800-251-7094

TELEFAX: 423-538-8469 E-MAIL: sales@aero-access.com

INSTALLATION INSTRUCTIONS

for

REPLACEMENT INTERIOR TRIM


for

**Bell 206A and 206B Model Helicopters
Thru S/N 3566**

Report No. AA-88061

Revision K

June 7, 2004



LOG OF REVISIONS

Revision	Date	Description	Pages
-	08/04/88	Original Release	All
A	02/20/89	Miscellaneous Technical Updates	All
B	08/22/89	Miscellaneous Technical Updates	All
C	09/12/91	Miscellaneous Technical Updates	All
D	07/21/93	Miscellaneous Technical Updates	All
E	11/15/93	Miscellaneous Technical Updates	All
F	04/05/94	Miscellaneous Technical Updates	All
G	03/16/95	Miscellaneous Technical Updates	All
H	08/07/95	Miscellaneous Technical Updates	All
I	07/09/97	Miscellaneous Technical Updates	All
J	12/16/98	Miscellaneous Technical Updates	All
K	06/07/04	Document format change Deleted P/Ns 206-410-003/-004/-803/-804	All

These instructions provide the information necessary to install the **AERONAUTICAL ACCESSORIES, INC. REPLACEMENT INTERIOR TRIM** on Bell 206A and 206B model helicopters. These installation instructions are FAA approved under STC No. SH3298SO.

NOTE

If a complete kit is to be installed, use recommended sequence of installation (page 3).

1. Remove old interior trim part(s) to be replaced, taking care not to damage adjacent parts. Adjacent parts may need to be removed or loosened to gain access. Retain all fastening hardware as some may be reused upon installation.
2. If applicable, remove all old adhesive in area **REPLACEMENT INTERIOR TRIM** is to be installed. Clean surface as required.
3. Due to slight differences from airframe to airframe, some trimming of the part may be required. The old part may be used as a guide for trimming the new part.
4. Once fit is established, prepare surface for the installation of the foam tape and/or Velcro by abrading the bonding surface with scotchbrite and wiping clean with alcohol. Remove backing from the adhesive foam tape strips and/or velcro and install the part into position.
5. Reinstall any fastening hardware previously removed.
6. Clean **REPLACEMENT INTERIOR TRIM** with mild, nonabrasive soap.

CAUTION

Do not use solvents such as acetone, benzene, carbon tetrachloride, fire extinguisher fluid, dry cleaning compounds, lacquer thinners, window sprays, or kitchen scouring compounds on plastic.

7. Weight change negligible. Weight and balance not affected.
8. Installation is now complete.

The following is a recommended sequence of installation for the components of the **AERONAUTICAL ACCESSORIES, INC.** Replacement Interior Trim kit(s). Utility Kit pieces are marked (U). Custom Kit pieces are marked (C). Optional / Non kit parts are not marked and available separately.

NOTE

All pads and blankets should be installed prior to installing Interior Trim.

NOTE

(ADS): For Aircraft Equipped with Air Distribution System Interiors.

NOTE

(STD): For Aircraft without Air Distribution System Interiors.

1. (C) Seatback Assembly:
206-420-017 (L/H) and 206-420-018 (R/H) or
206-420-817 (L/H) and 206-420-818 (R/H)
2. (C) Crew Seatback Assembly:
206-412-065 or
206-412-865
3. (U) Crew Seatback Top:
206-421-031 or
206-421-831
4. (U) Vertical Tunnel Assembly:
206-420-003 (L/H) and 206-420-004 (R/H) or
206-420-803 (L/H) and 206-420-804 (R/H)
Determine proper width by fitting with remainder of Vertical Tunnel pieces.
Secure in Step 18.
5. Vertical Tunnel Assembly:
206-420-033 (L/H) and 206-420-032 (R/H) or
206-420-833 (L/H) and 206-420-832 (R/H)
6. (C) Upper Ring:
206-420-013 (L/H) and 206-420-014 (R/H) or
206-420-813 (L/H) and 206-420-814 (R/H)
7. (U) Forward Overhead (STD):
206-410-010 // 206-410-011 (w/Rotor Brake) // 206-410-010AG or
206-410-810 // 206-410-811 (w/Rotor Brake) // 206-410-810AG
8. Forward Overhead (ADS) w/Rotor Brake:
206-410-009 or
206-410-809.
9. (C) Crew Door Overhead Trim:
206-410-033 (L/H) and 206-410-034 (R/H) or
206-410-833 (L/H) and 206-410-834 (R/H).
10. (C) Crew Overhead Tab:
206-413-115 (L/H) and 206-413-116 (R/H)

11. (C) Passenger Door Post, Upper Assembly:
206-430-027 (L/H) and 206-430-028 (R/H) or
206-430-827 (L/H) and 206-430-828 (R/H)
Secure after installation of Passenger Door Post, Lower Assembly (Step 12).
12. (C) Passenger Door Post, Lower Assembly:
206-430-025 (L/H) and 206-430-026 (R/H) or
206-430-825 (L/H) and 206-430-826 (R/H)
13. (C) Corner Molding:
206-420-021 (L/H) and 206-420-022 (R/H) or
206-420-821 (L/H) and 206-420-822 (R/H)
14. (C) Carpet Molding:
206-420-023 (L/H) and 206-420-024 (R/H) or
206-420-823 (L/H) and 206-420-824 (R/H)
15. (C) Forward Scuff Plate:
206-414-003 (L/H) and 206-414-004 (R/H)
16. (C) Nose Section Side Panel:
206-411-073 (L/H) and 206-411-074 (R/H) or
206-411-873 (L/H) and 206-411-874 (R/H)
17. (C) Aft Scuff Plate:
206-414-005 (L/H) and 206-414-006 (R/H)
18. (C) Door Post:
206-410-001 (L/H) and 206-410-002 (R/H) or
206-410-801 (L/H) and 206-410-802 (R/H)
19. (U) Vertical Tunnel Assembly, Forward, Top:
206-420-005 (upper) and 206-420-006 (lower) or
206-420-805 (upper) and 206-420-806 (lower)
Secure Vertical Tunnel Assembly, L/H & R/H
20. (C) Vertical Tunnel Assembly, Forward Lower (ADS):
206-420-026 or
206-420-826
21. (C) Vertical Tunnel Assembly, Forward Top (ADS):
206-420-027 or
206-420-827
22. (U) Rear Overhead:
206-430-011 (L/H) and 206-430-012 (R/H) or
206-430-811 (L/H) and 206-430-812 (R/H)
23. Rear Overhead (ADS):
206-430-019 (L/H) and 206-430-020 (R/H) or
206-430-819 (L/H) and 206-430-820 (R/H)
24. (U) Vertical Tunnel Assembly, Aft Center:
206-420-001 or
206-420-801

- 25. (U) Rear Overhead, Center:
206-430-010 (STD) or 206-430-018 (ADS) or
206-430-810 (STD) or 206-430-818 (ADS)
- 26. (U) Hatbin Assembly:
206-430-001,
206-431-122 (with Shoulder Harness Provisions),
206-431-123 (with Dual Shoulder Harness Provisions), or
206-430-801,
206-431-822 (with Shoulder Harness Provisions),
206-431-823 (with Dual Shoulder Harness Provisions)
- 27. (U) Crew Window Trim Assembly:
206-410-017 (L/H) and 206-410-018 (R/H) or
206-410-817 (L/H) and 206-410-818 (R/H)
- 28. (U) Crew Door Panel Assembly:
206-410-005 (L/H) and 206-410-006 (R/H) or
206-410-805 (L/H) and 206-410-806 (R/H)
- 29. (U) Pass Window Trim Assembly:
206-430-003 (L/H) and 206-430-004 (R/H) or
206-430-803 (L/H) and 206-430-804 (R/H)
- 30. (U) Pass Door Panel Assembly:
206-430-005 (L/H) and 206-430-006 (R/H) or
206-430-805 (L/H) and 206-430-806 (R/H)
- 31. Heel Rest:
206-414-031
- 32. Carpet Trim Cover:
206-420-044 or
206-420-844
- 33. Map Holder:
206-457-001
- 34. Cyclic Boot Assembly:
206-001-005
- 35. Collective Boot Assembly:
206-001-007
- 36. Center Map Pocket:
206-001-009
- 37. Collective Cover Assembly:
206-270-145

**TABLE 1 – UTILITY TRIM KIT – FRONT SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Crew Window Trim Assembly, L/H	206-410-017	Screw	120-079-6-12	10
	206-410-817	Washer	601-6	10
Crew Window Trim Assembly, R/H	206-410-018	Screw	120-079-6-12	10
	206-410-818	Washer	601-6	10
Crew Door Panel Assembly, L/H	206-410-005 206-410-805	Screw	120-079-8-12	2
		Washer	601-6	2
		Decal	206-406-077	1
		Decal	206-407-021	1
		Decal	206-407-011	1
Crew Door Panel Assembly, R/H	206-410-006 206-410-806	Screw	120-079-8-12	2
		Washer	601-6	2
		Decal	206-406-077	1
		Decal	206-407-022	1
		Decal	206-407-012	1
Forward Overhead STD Interior Without Rotor Brake	206-410-010 206-410-810	Speed Clinch	C60207AA 020	6
Forward Overhead STD Interior With Rotor Brake	206-410-011 206-410-811	Speed Clinch	C60207AA 020	6
Forward Overhead STD Interior Agusta Bell Models	206-410-010AG 206-410-810AG	Speed Clinch	C60207AA 020	6

**TABLE 2 – UTILITY TRIM KIT – CENTER SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Vertical Tunnel, Aft Center	206-420-001	Screw	120-079-6-12	6
	206-420-801	Washer	601-6	6
Vertical Tunnel Assembly, L/H	206-420-003 206-420-803	Rivet	MS20600AD4W1	3
Vertical Tunnel Assembly, R/H	206-420-004 206-420-804	Rivet	MS20600AD4W1	3
Vertical Tunnel, Forward Top Upper	206-420-005 206-420-805	None Required		
Vertical Tunnel, Forward Top Lower	206-420-006 206-420-806	None Required		
Crew Seatback Top	206-421-031	Screw	120-079-6-12	2
	206-421-831	Washer	601-6	2

**TABLE 3 – UTILITY TRIM KIT – REAR SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Hatbin Assembly	206-430-001	Screw	120-079-10-16	6
	206-430-801	Washer	601-10	6
		Decal	206-406-243	1
Hatbin Assembly with Shoulder Harness Provisions	206-431-122	Screw	120-079-10-16	6
	206-431-822	Washer	601-10	6
		Decal	206-406-243	1
Hatbin Assembly with Dual Shoulder Harness Provisions	206-410-123	Screw	120-079-10-16	6
	206-410-823	Washer	601-10	6
		Decal	206-406-243	1
Passenger Window Trim Assembly, L/H	206-430-003	Screw	120-079-6-12	14
	206-430-803	Washer	601-6	14
Passenger Window Trim Assembly, R/H	206-430-004	Screw	120-079-6-12	14
	206-430-804	Washer	601-6	14
Passenger Door Panel Assembly, L/H	206-430-005 206-430-805	Screw	120-079-8-12	2
		Washer	601-8	2
		Decal	206-406-077	1
		Decal	206-407-021	1
		Decal	206-407-033	1
Passenger Door Panel Assembly, R/H	206-430-006 206-430-806	Screw	120-079-8-12	2
		Washer	601-8	2
		Decal	206-406-077	1
		Decal	206-407-022	1
		Decal	206-407-034	1
Rear Overhead STD Interior	206-430-010 206-430-810	Screw	120-079-6-12	2
		Washer	601-6	2
		Rivnut	A6-120	2
		Washer	AN960-10L	2
Rear Overhead ADS Interior	206-430-018 206-430-818	Screw	120-079-6-12	2
		Washer	601-6	2
		Rivnut	A6-120	2
		Washer	AN960-10L	2
Rear Overhead, L/H	206-430-011	Plug Button	206-430-014	1
	206-430-811	1-inch White Pile Velcro		4 ft
Rear Overhead, R/H	206-430-012	1-inch White Pile Velcro		4 ft
	206-430-812	1-inch White Pile Velcro		4 ft

**TABLE 4 – CUSTOM TRIM KIT – FRONT SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Door Post, L/H	206-410-001 206-410-801	Speed Clinch	C60207AA 020	4
Door Post, R/H	206-410-002 206-410-802	Speed Clinch	C60207AA 020	4
Crew Door Overhead, L/H	206-410-033 206-410-833	None Required		
Crew Door Overhead, R/H	206-410-034 206-410-834	None Required		
Nose Section	206-411-073	Screw	120-079-6-12	4
Side Panel, L/H	206-411-873	Washer	601-6	4
Nose Section	206-411-074	Screw	120-079-6-12	4
Side Panel, R/H	206-411-874	Washer	601-6	4
Crew Seatback Assembly	206-412-065 206-412-865	None Required		
Crew Overhead Tab Assembly, L/H	206-413-115	Screw	AN525-10R12	1
Crew Overhead Tab Assembly, R/H	206-413-116	Screw	AN525-10R12	1
Forward Scuff Plate, L/H	206-414-003	Screw	AN525-10R9	3
Forward Scuff Plate, R/H	206-414-004	Screw	AN525-10R9	3

**TABLE 5 – CUSTOM TRIM KIT – CENTER SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Upper Ring, L/H	206-420-013 206-420-813	Rivet	MS20600AD4W1	3
Upper Ring, R/H	206-420-014 206-420-814	Rivet	MS20600AD4W1	3
Seatback Assembly, L/H	206-420-017 206-420-817	None Required		
Seatback Assembly, R/H	206-420-018 206-420-818	None Required		
Corner Molding, L/H	206-420-021 206-420-821	Screw	120-079-6-16	2
Corner Molding, R/H	206-420-022 206-420-822	Washer	601-6	2
Carpet Molding, L/H	206-420-023 206-420-823	Screw	120-079-6-16	2
Carpet Molding, R/H	206-420-024 206-420-824	Washer	601-6	2
Vertical Tunnel Assembly, Fwd Lower, ADS Interior	206-420-026 206-420-826	None Required		
Vertical Tunnel Assembly, Fwd Top, ADS Interior	206-420-027 206-420-827	None Required		

**TABLE 6 – CUSTOM TRIM KIT – REAR SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Aft Scuff Plate, L/H	206-414-005	Screw	AN525-10R9	3
Aft Scuff Plate, R/H	206-414-006	Screw	AN525-10R9	3
Passenger Door Post, Lower Assembly, L/H	206-430-025 206-430-825	None Required		
Passenger Door Post, Lower Assembly, R/H	206-430-026 206-430-826	None Required		
Passenger Door Post, Upper Assembly, L/H	206-430-027 206-430-827	Speed Clinch Screw Washer	C60207AA 020 120-079-6-12 601-6	3 1 1
Passenger Door Post, Upper Assembly, R/H	206-430-028 206-430-828	Speed Clinch Screw Washer	C60207AA 020 120-079-6-12 601-6	3 1 1

**TABLE 7 – NON-KIT INTERIOR TRIM – FRONT SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Forward Overhead ADS Interior With Rotor Brake	206-410-009 206-410-809	Speed Clinch	C60207AA 020	6
Heel Rest	206-414-031	Screw	MS24694S52	6
Cyclic Boot Assembly	206-001-005	Screw Washer	MS27039-0807 AN960-8L	6 6
Collective Boot Assembly	206-001-007	None Required		
Collective Cover Assembly	206-270-145	Screw	120-079-6-12	1
		Screw	120-079-8-12	1
		Washer	601-6	1
		Washer	601-6	1
		Screw	8-32	2
Center Map Pocket	206-001-009	13 in x 2 in hook/pile Velcro		2

**TABLE 8 – NON-KIT INTERIOR TRIM – CENTER SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware		
Description	Part Number	Description	Part Number	Qty
Vertical Tunnel, Assembly, L/H ADS Interior	206-420-033 206-420-833	Rivet	MS20600AD4W1	3
Vertical Tunnel, Assembly, R/H ADS Interior	206-420-032 206-420-832	Rivet	MS20600AD4W1	3
Vertical Tunnel, Lower Cover, L/H ADS Interior	206-420-035 206-420-835	Screw	120-079-8-12	2
		Rivnut	A8-75	2
Vertical Tunnel, Lower Cover, R/H ADS Interior	206-420-036 206-420-836	Screw	120-079-8-12	2
		Rivnut	A8-75	2
Carpet Trim Cover	206-420-044 206-420-844	Screw	AN525-10R9	

**TABLE 9 – NON-KIT INTERIOR TRIM – REAR SECTION
PARTS LIST and ATTACHING HARDWARE REQUIREMENTS**

Interior Trim		Attaching Hardware	
Description	Part Number	Description	Qty
Rear Overhead, L/H ADS Interior	206-430-019 206-430-819	Double Faced Tape 1 in x 1/8 in	4 ft
Rear Overhead, R/H ADS Interior	206-430-020 206-430-820	Double Faced Tape 1 in x 1/8 in	4 ft
Hatbin Blanket	206-001-001	None Required	

United States of America
Department of Transportation -- Federal Aviation Administration

Supplemental Type Certificate

Number SH3298SO

This certificate issued to

Bell Helicopter Textron, Inc.
441 Industrial Park Rd.
Piney Flats, TN 37686

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 6 of the Civil Air Regulations.

Original Product -- Type Certificate Number : H2SW
Make : Bell Helicopter Textron Canada Limited
Model : 206A/B/L/L-1/L-3/L-4

Description of Type Design Change: Manufacture of Interior Trim Parts in accordance with Aeronautical Accessories, Inc. (AAI) Drawing List Report No. AA-92074, no change, dated July 20, 1992, and installation in accordance with the following AAI Installation Instructions: Report No. AA-85026, Revision C, dated February 28, 1989; Report AA-88061, Revision C, dated September 12, 1991; Report AA-88066, Revision B, dated August 22, 1989; and Report AA-89002, no change, dated February 16, 1989; or later FAA approved revisions.

Limitations and Conditions: The installer must determine whether this design change is compatible with previously approved modifications. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission.

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application : July 21, 1992

Date reissued : February 01, 2011

Date of issuance : August 7, 1992

Date amended : August 15, 1995



By direction of the Administrator

John Hardie
(Signature)
James A. Richmond, Acting Manager
Rotorcraft Certification Office
Southwest Region

(Title)

INSTRUCTIONS: The transfer endorsement below may be used to notify the appropriate FAA Regional Office of the transfer of this Supplemental Type Certificate.

The FAA will reissue the certificate in the name of the transferee and forward it to him.

TRANSFER ENDORSEMENT

Transfer the ownership of Supplemental Type Certificate Number _____

to *(Name of transferee)* _____

(Address of transferee) _____
(Number and street)

(City, State, and ZIP code)

from *(Name of grantor)* *(Print or type)* _____

(Address of grantor) _____
(Number and street)

(City, State, and ZIP code)

Extent of Authority (if licensing agreement): _____

Date of Transfer: _____

Signature of grantor *(In ink)*: _____



CIVIL AVIATION
SAFETY AUTHORITY
AUSTRALIA

OCT 03 1995

Ref: F95/1731

Manager
Aeronautical Accessories, Inc.
P.O. Box 3689
Bristol, Tennessee 37625-3689
U.S.A.

Dear Sir.

Re: FAA STC SH3298SO - Bell Helicopter 206A/B/L/L-1/L-3

We have received an application from:-

Manager
Helitech Pty Ltd
P.O. Box 138
Hamilton Central QLD 4007
Australia,

- for validation of the subject STC.

This is to advise that the STC has been validated to the revision dated August 7 1992 and entered in the "Register Of Foreign STCs Acceptable in Australia".

Please advise this office of any subsequent revisions to this STC.

Yours faithfully

R Smith
Manager
Aircraft Certification

22 September 1995

Civil Aviation Safety Authority
P.O. Box 2005, Canberra City ACT 2601, Australia
Telephone (06) 268 4111
Facsimile (06) 268 5692



REPÚBLICA FEDERATIVA DO BRASIL
COMANDO DA AERONÁUTICA
DEPARTAMENTO DE PESQUISAS E DESENVOLVIMENTO
CENTRO TÉCNICO AEROESPACIAL
INSTITUTO DE FOMENTO E COORDENAÇÃO INDUSTRIAL

CERTIFICADO DE HOMOLOGAÇÃO SUPLEMENTAR DE TIPO
(Supplemental Type Certificate)

NÚMERO 2001S04-07
(Number)

Este certificado, emitido com base na Lei nº 7565 "Código Brasileiro de Aeronáutica", de 19 de dezembro de 1986,
(This certificate, issued in the basis of the Law No. 7565 "Código Brasileiro de Aeronáutica", dated 19 December 1986,

é conferido ao (à): Aeronautical Accessories, Inc.
is granted to:)

P.O. Box 3689

Bristol, Tennessee 37625-3689

USA

por ter a modificação ao projeto de tipo do produto abaixo citado, observadas as limitações e condições
(for having the change to the type design of the product mentioned below, with the limitations and conditions therefor as)

especificadas, satisfeito aos requisitos de aeronavegabilidade aplicáveis.
(specified hereon, met the applicable airworthiness requirements.)

Produto Original - Número do Certificado de Tipo: H2SW (FAA)
(Original Product - Type Certificate No:)

Fabricante: Bell Helicopter Textron, Inc.
(Manufacturer:)

Modelo(s): 206A, 206B, 206L, 206L-1, 206L-3 and 206L-4.
(Model(s):)

DESCRIÇÃO DA MODIFICAÇÃO AO PROJETO DE TIPO:
(Description of Type Design Change:)

Installation of Interior Trim Parts in accordance with Aeronautical Accessories, Inc. Drawing List Report No. AA-92074, Rev. J, dated 01 DEC 2000, or later approved revisions.
This CHST validates in Brazil the STC # SH3298SO, issued by FAA (USA).

LIMITAÇÕES E CONDIÇÕES:
(Limitations and Conditions:)


See continuation sheet for applicable data.


DATAS:
(Dates of:)

Do Requerimento: 03 JAN 2001
(Application:)

Da emissão: 09 APR 2001
(Issue:)

Da reemissão:
(Reissue:)


JOSÉ LUIZ R. BELDERRAIN - Ten.-Cel.-Eng.
Chefe da Divisão de Homologação Aeronáutica
(Chief, Divisão de Homologação Aeronáutica)


JOSÉ CARLOS ARGOLO - Cel.-Av.
Diretor do Instituto de Fomento e Coordenação Industrial
(Director, Instituto de Fomento e Coordenação Industrial)



REPÚBLICA FEDERATIVA DO BRASIL
COMANDO DA AERONÁUTICA
DEPARTAMENTO DE PESQUISAS E DESENVOLVIMENTO
CENTRO TÉCNICO AEROESPACIAL
INSTITUTO DE FOMENTO E COORDENAÇÃO INDUSTRIAL

Folha de Continuação ao
(Continuation Sheet to)

CERTIFICADO DE HOMOLOGAÇÃO SUPLEMENTAR DE TIPO
(Supplemental Type Certificate)

NÚMERO 2001S04-07
(Number)

LIMITAÇÕES E CONDIÇÕES:
(Limitations and Conditions:)

- I. The approval of this type design change should not be extended to other aircraft of this model on which other previously approved modifications are incorporated unless it is determined by the installer that the relationship between this change and any of those other previously approved modifications, including changes in Type Design, will introduce no adverse effect upon the airworthiness of that aircraft.
- II. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission.
- III. A copy of this Certificate shall be maintained as part of the permanent records for the modified aircraft.

-----END-----



Transport Canada
Ontario Region

Transports Canada
Région de l'Ontario

UNCLASSIFIED
Your file #

4th Floor
4900 Yonge Street,
Toronto ON M2N 6A5

Our file #
5010-0-09-0380

May 7, 2009

Aeronautical Accessories, Inc.
P.O. Box 3689
Bristol, Tennessee 37625-3689

Subject: **Transport Canada Acceptance of FAA STC Number SH3298SO**

Dear Sir or Madam:

This office has reviewed a request from **Aeronautical Accessories, Inc.**, for Transport Canada acceptance of the subject STC in accordance of Manufacture of Interior Trim Parts with Aeronautical Accessories, Inc. (AAI) Drawing List Report No. AA-92074, no change, dated July 20, 1992, and installation in accordance with the following AAI Installation Instructions: Report No. AA-85026, Revision C, dated February 28, 1989; Report AA-88061, Revision C, dated September 12, 1991; Report AA-88066, Revision B, dated August 22, 1989; and Report AA-89002, no change, dated February 16, 1989; or later approved FAA approved revision.

In accordance with our current policy associated with the review of foreign STC's some STC's applicable to certain categories of aircraft may be accepted solely on the basis of their foreign certification, and do not require the issue of a corresponding certificate by Transport Canada. The subject STC falls within these criteria.

This STC will be entered in the national index of STC's that have been reviewed and accepted by Transport Canada for installation on Canadian-registered aeronautical products.

This letter confirms formal acceptance of the referenced STC by Transport Canada.

If you have any inquiries or require further assistance, in regards to this submission please don't hesitate to contact our office or myself quoting Napa project number 5010-O-09-0380.

Sincerely,

Alex Pompei, P. Eng, MBA

A/Regional Superintendent, Aircraft Certification

Transport Canada Civil Aviation - Ontario Region / Transports Canada Civil Aviation - Région de l'Ontario

4900 Yonge Street, 4th Floor (PAI) 4900, rue Yonge, 4e étage (PAI)

Toronto, Ontario M2N 6A5 Toronto, Ontario M2N 6A5

Government of Canada Gouvernement du Canada

416.952.6033

416.952.0370


416.526-1575

alex.pompei@tc.gc.ca

CC: Mr. E. Esparza, Fort Worth FAA AOC

www.tc.gc.ca

RDIMS/SGDDI :
Author: GREIGJ



SUPPLEMENTAL TYPE CERTIFICATE

ACG.21NE.005

Aeronautical Accessories, Inc.

that the change in the Type Design to the following product, as specified herein, meets the appropriate CAR 6 and FAR 27 requirements.

STC Title: Replacement Interior Trim Kit
STC Definition Document: Installation Instructions Report No. AA-88061

1. Compatibility of this installation with previous installed equipment must be determined by the installer.
2. Subject to compliance with the provisions of §36 ZLLV 1999 and JAR-21 Subpart E [or N-E], this Certificate and associated data shall remain valid until surrendered, withdrawn or other terminated.
3. If transfer of the Certificate is requested under JAR-21.116 or 21N116, the Certificate will be reissued.
4. This STC requires compliance with the JAA procedures for STC's.
5. This STC is based on FAA STC SH3298SO.

Signed:

For AUSTRO CONTROL GmbH

AIRWORTHINESS APPROVAL NOTE NO: 23814 Issue 12

APPLICANT: CAA Internal Purposes

AIRCRAFT TYPE: Bell 206 Series

REGISTRATION NO: Not Applicable

CONSTRUCTOR'S NO: Not Applicable



Validation of Aeronautical Accessories FAA Bell 206 Series STC Approvals

In accordance with BCAR B2-2 para 7.2.3 procedures, the following Aeronautical Accessories, Inc modifications are approved for use in the Transport Category (Passengers) when installed in accordance with the FAA STC on UK registered Bell/Agusta Bell 206 Series aircraft, as appropriate:

<u>Description</u>	<u>STC</u>	<u>Model</u>
Range Extender	SH2889SW	Bell 206A,B
Longranger Extender	SH1522SO	Bell 206L,L-1
Raingutter	SH1148SO	Bell 206A,B,L,L-1,L-3
Spacemaker	SH227WE	Bell 206A,B,L,L-1,L-3,L-4,407
Maintenance Step	SH1281SO	Bell 206A,B
Folding Maintenance Step	SH2243SO	Bell 206A,B,L,L-1,L-3,L-4,407
Step/Handle	SH1282SO	Bell 206A,B
Step/Handle	SH1366SO	Bell 206L,L-1,L-3,I-4,407
High Skid Gear	SH1392SO	Bell 206A,B
High Skid Gear	SH2804SO	Bell 206L,L-1,L-3,L-4
Low Skid Gear	SH2764SO	Bell 206A,B
Low Skid Gear	SH2941SO	Bell 206L,L-1,L-3,I-4
Flitestep	SH1322SO	Bell 206A,B,L,L-1,L-3,L-4
Baggage Floor Protector	SH1147SO	Bell 206A,B,L,L-1,L-3,L-4,407
Cyclic Cover	SH244WE	Bell 206A,B,L,L-1,L-3,L-4
Collective Safety Cover	SH2373SO	Bell 206A,B,L,L-1,L-3,L-4
Crew Wedge Window	SH1815SO	Bell 206A,B,L,L-1,L-3,L-4
Replacement Windows	SH1664SO	Bell 206A,B,L,L-1,L-3,L-4
Crew Shoulder Harness	SH2073SO	Bell 206A,B,L,L-1,L-3,L-4
Door Openers	SH1990SO	Bell 206A,B,L,L-1,L-3,L-4,407
VRS	SH7882SW	Bell 206A,B
Cabin Floor Protector	SH2289SO	Bell 206A,B,L,L-1,L-3,L-4,407
Crew Vertical Slide Windows	SH2139SO	Bell 206A,B,L,L-1,L-3,L-4,L-4 (Modified)
Replacement Drive Train Seals	SR00539AT	Bell 206A,B,L,L-1,L-3,L-4
Tail Rotor Pedal Lockout	SR00513AT	Bell 206A,B,L,L-1,L-3,L-4
Replacement Interior Trim	SID298SO	Bell 206A,B,L,L-1,L-3
Replacement Door Locks and Locking	SR00095AT	Bell 206A,B,L,L-1,L-3,L-4
Fuel Cap		

APPLICANT
AIRCRAFT PROJECTS DEPARTMENT
FLIGHT MANUALS SECTION
POWERPLANT DEPARTMENT
REGIONAL MANAGER:-

<u>Description</u>	<u>STC</u>	<u>Model (Cont'd)</u>
Lightweight Replacement Nitrogen Reservoir Assembly	SR00175AT	Bell 206A, B, L, L-1, L-3, L-4
Electrical Inflation Valve Retrofit Kit	SR00822AT	Bell 206A, B, L, L-1, L-3
Air Deflector	SR01556AT	Bell 407
Air Deflector	SR01582AT	Bell 206A, B, L, L-1, L-3, L-4
Dual Video Camera System and Monitor	SH2292SO	Bell 206A, B, L, L-1, L-3
Hinged Circuit Breaker Panel	SR00347AT	Bell 206A, B, L, L-1, L-3, L-4

Issue 2 has been raised to correct minor editorial errors.

Issue 3 has been raised to include the Bell 206L4, where applicable.

Issue 4 has been raised to include the Crow Vertical Slide Windows.

Issue 5 has been raised to include the Replacement Drive Train Seals.

Issue 6 has been raised to include the Tail Rotor Pedal Lockout and Bell 206 L-4 applicability to High and Low Skid Gear.

Issue 7 has been raised to include the Replacement Interior Trim


Issue 8 has been raised to include Replacement Door Locks and Locking Fuel Cap

Issue 9 has been raised to include replacement Nitrogen Reservoir and Electrical Inflation Valves for the Bell Emergency Flotation Equipment.

Issue 10 has been raised to include installation of Air Deflection on crew and passenger door windows.

Issue 11 has been raised to include STCs SR01582AT, SH2292SO and SR00347AT.

Issue 12 has been raised to include the Bell 407, where applicable.



P Sparkes

.....
For the Civil Aviation Authority

Date 8 October 1999